


TERRY FRANCOIS BOULEVARD

EXPLANATION

- B29-3 Approximate location of boring by Treadwell & Rollo, May 2007, August and September 2011
- C29-3 Approximate location of cone penetration test by Treadwell & Rollo, May 2007 and August 2011
- B31-1 Approximate location of boring by Treadwell & Rollo for other developer during previous investigation
- C31-1 Approximate location of cone penetration test by Treadwell & Rollo for other developer during previous investigation
- 361 Approximate locations of boring by others (data base designation)
- Top of very dense sand contour (feet, SFCD+100) (see Note 1)
Based on interpretation between borings
- Approximate top of very dense sand layer elevation (feet, SFCD+100 feet) (see Notes 1 and 2)
- Estimated thickness of very dense sand (feet) (see Notes 1 and 2)
- [NE] Not Encountered

Notes:

- Contours and thickness are for the very dense portion of the Colma Formation Sand (where SPT N-Value is greater than 50 blows per foot).
- For CPT and borings that did not extend through the Colma Formation or did not record SPT-N values on the boring logs, the estimated top of very dense sand elevation and thickness is left blank.



BLOCKS 29-32
MISSION BAY
San Francisco, California

TOP OF VERY DENSE SAND CONTOURS

Date 11/23/11 | Project No. 750603902 | Figure 5

Treadwell & Rollo
A Langan Company